

Handout 11: Error-Correcting Codes

*Due Friday, Week 7**UCSB 2014*

Pick **two** of the **four** problems below, and solve them!

1. For any $k \in \mathbb{N}$, construct a code with information density $\frac{1}{k}$.
2. Historically, one of the first codes developed was the Hamming $[7, 4]$ code. It works like this: take any string of four bits (i.e. any string of four 0's and 1's.) Turn this into a string of seven bits in the following way:
 - Place the bits of the original message, in order, in the slots 3, 5, 6, 7.
 - In slot 1, put the parity¹ of the sum of the bits in slots 3, 5, 7.
 - In slot 2, put the parity of the sum of the bits in slots 3, 6, 7.
 - In slot 4, put the parity of the sum of the bits in slots 5, 6, 7.

For example, to encode the message 1010, we would first place

_ _ 1 _ 0 1 0;

then, because $1 + 0 + 0 = 1$, $1 + 1 + 0 = 0$, $0 + 1 + 0 = 1$, we would fill in the remaining slots to get

1 0 1 1 0 1 0.

This is a 2-ary code of length 7. Find its information density and its minimum distance.

3. Create a 4-ary code of length 4 and distance 3, that contains 16 elements.
4. Find the largest 2-ary (i.e. binary) code of length 10 and distance 4 that you can come up with.

Note: your score here is $(\# \text{ elements in your code}) / (\text{maximum number of elements in codes discovered by your classmates})$. I think the maximum is 40, and that we discovered this in 1980.

¹The parity of a number n is just $n \bmod 2$. In other words, it is 1 if n is odd, and 0 if n is even.